# WHITEVISION ®

FUTURE VISION AUTOMOTIVE LIGHTING ™

**AUTOMOTIVE, COMMERCIAL, RECREATIONAL
& SAFETY LED LIGHTING CATALOGUE 2023-24**

WHITEVISION ®

100% Owned & Operated Australian Company

QUALITY / DESIGN / INNOVATION / TRUST

Whitevision Australia, formerly Perei Group Australia, has supplied the Australasian automotive industry with the highest quality lighting products for over thirty-five years.

The Whitevision brand represents a new direction for the company aimed at providing paramount products to the automotive OEM and aftermarket. Our mission is to provide future vision automotive lighting products to our clients with the highest quality product and service.

Whitevision's range of LED lighting has proven to be extremely competitive and reliable in today's market, which allows us to continue to provide customer satisfaction through professional excellence.

PEREI
LIGHTING

Whitevision Australasia is strongly affiliated with the Perei Group Limited UK, and is the primary operating hub for all Perei products and development in the region. The group shares knowledge of automotive lighting extending back seventy-five years.

Perei UK is ISO9001 accredited and has in-house testing facilities to ensure products remain to a high-quality specification in accordance with European and Australian standards and regulations.

SCAN HERE TO VISIT OUR WEBSITE

SCAN HERE FOR LATEST PRODUCT RELEASES

SCAN HERE FOR PRODUCT INFORMATION VIDEOS

SCAN HERE FOR LATEST APPROVALS

LHL90 SERIES
90MM LED HIGH OR LOW BEAM HEAD LAMP

High or Low Beam with Park & DRL Functions
9-32V DC Varivolt®
Headlamp Standard
110 x 110 x 127mm M: 85mm

LHL90H   90mm High Beam Headlamp w/Park & DRL Function
LHL90L   90mm Low Beam Headlamp w/Park & DRL Function

LHL90HL
90MM DRL HEADLAMP

High/Low Beam with Park & DRL Functions
10-30V DC
Headlamp Standard
IP67 | ADR Compliant | CTA see P52
110 x 110 x 150 mm

LHL180C
HEADLIGHT CHROME OPTIC

High/Low Beam Headlights with Park Function
9-33V Varivolt®
Headlamp Standard
IP67 | ADR Compliant | CTA See P52
178mm diameter 110mm deep

LHL181C
7" LED HEADLIGHT CHROME OPTIC

High/Low Beam in one light
Integrated DRL and Park Functions
9-33V Varivolt®
Bracket Mount
IP67 | ADR Compliant | CTA See P52
178mm diameter 97mm deep

LDL9700LED
7" LED DRIVING LIGHT

Integrated DRL, Indicator and Park Functions
9-32V DC Varivolt®
1200lm Light Output
Heavy Duty Bracket
IP67 | DT Connector
189 x 199 x 97mm

LDL9900LED
9" LED DRIVING LIGHT

Integrated DRL, Indicator and Park Functions
9-32V DC Varivolt®
1500lm Light Output
Heavy Duty Bracket
IP67 | DT Connector
232 x 243 x 108mm

LIGHT BARS

LLB1112
12" SINGLE ROW LED LIGHT BAR

9-33V Varivolt®
Integrated Park Function
4500lm Light Output
Bracket Mount
IP67 | DT Connector
345 x 75 x 65mm

LLB1122
22" SINGLE ROW LED LIGHT BAR

9-33V Varivolt®
Integrated Park Function
6500lm Light Output
Bracket Mount
IP67 | DT Connector
545 x 75 x 65mm

LLB1132
32" SINGLE ROW LED LIGHT BAR

9-33V Varivolt®
Integrated Park Function
10000lm Light Output
Bracket Mount
IP67 | DT Connector
845 x 75 x 65mm

LLB1142
42" SINGLE ROW LED LIGHT BAR

9-33V Varivolt®
Integrated Park Function
12500lm Light Output
Bracket Mount
IP67 | DT Connector
1045 x 75 x 65mm

LLB2212
12" DOUBLE ROW LED LIGHT BAR

9-33V Varivolt®
Integrated Park and Amber Functions
5300lm Light Output
Bracket Mount
IP67 | DT Connector
332 x 88.47 x 69mm

LLB2222
22" DOUBLE ROW LED LIGHT BAR

9-33V Varivolt®
Integrated Park and Amber Functions
10500lm Light Output
Bracket Mount
IP67 | DT Connector
584 x 88.47 x 69mm

LLB2232
32" DOUBLE ROW LED LIGHT BAR

9-33V Varivolt®
Integrated Park and Amber Functions
13680lm Light Output
Bracket Mount
IP67 | DT Connector
836 x 88.47 x 69mm

LLB2242
42" DOUBLE ROW LED LIGHT BAR

9-33V Varivolt®
Integrated Park and Amber Functions
16200lm Light Output
Bracket Mount
IP67 | DT Connector
1088 x 88.47 x 69mm

LLBWK100
LED LIGHT BAR WIRING HARNESS

Plug and play wiring harness for Light Bars with a single DT connector
Intelligent detection Positive or Negative Systems
Includes Relay, Switch, Fuses and H4/HB3 adapters
4 Pin DT with auxiliary wiring for light bar functions
12V/24 | High Beam Triggered | ADR Compliant

OPTIONAL VEHICLE SPECIFIC WIRING ADAPTERS ARE AVAILABLE

LDLWK200
LED LIGHT BAR WIRING HARNESS

Plug and play wiring harness for Driving Lights with Dual DT connector
Intelligent detection Positive or Negative Systems
Includes Relay, Switch, Fuses and H4/HB3 adapters
6 Pin DT with auxilary wiring for light bar functions
12V/24 | High Beam Triggered | ADR Compliant

OPTIONAL VEHICLE SPECIFIC WIRING ADAPTERS ARE AVAILABLE

LIGHT BAR MOUNTING CLAMPS
DRIVING LIGHT BULL BAR BRACKETS

LLBCL3843	LED Light Bar Clamp Pair 38-43mm
LLBCL4449	LED Light Bar Clamp Pair 44-49mm
LLBCL5156	LED Light Bar Clamp 51-56mm

LIGHT BAR MOUNTING BRACKETS
DRIVING LIGHT BULL BAR BRACKETS

LLBBKT4954	LED Light Bar Bracket Pair 49-54mm
LLBBKT6671	LED Light Bar Bracket Pair 66-71mm
LLBBKT7881	LED Light Bar Bracket Pair 78-81mm

LIGHT BAR BUMPER BRACKETS
LIGHT BAR BUMPER BRACKET

LLBBKT10B	Bumper mounting for LED Light Bars - Black Powder Coat
LLBBKT10C	Bumper mounting for LED Light Bars - Chrome

HEADLAMP GLOBE LED CONVERSION KITS

Input Power: Low 25W/High 25W
Operating Voltage: 9-32V DC
Lumen: Low/High 4000lm

LHL-H1	H1 LED Headlight Globe Kit 9-32V
LHL-H4	H4 LED Headlight Globe Kit 9-32V
LHL-H7	H7 LED Headlight Globe Kit 9-32V
LHL-H9	H9 LED Headlight Globe Kit 9-32V
LHL-H11	H11 LED Headlight Globe Kit 9-32V
LHL-HB3	HB3 LED Headlight Globe Kit 9-32V
LHL-HB4	HB4 LED Headlight Globe Kit 9-32V
LHL-H4-DE12	H4 Dual Core Decoder Flicker Fixer 12V
LHL-H4-DE24	H4 Dual Core Decoder Flicker Fixer 24V
LHL-H4-RE12	H4 Load Resistor 12V
LHL-H4-RE24	H4 Load Resistor 24V

USE BOTH FLICKER FIXER AND LOAD RESISTORS TOGETHER TO FIX MOST CANBUS PROBLEMS. NOTE: SOLD INDIVIDUALLY.

BULL BAR LAMPS

FM890LED
BULLBAR LAMP
LED INDICATOR/FRONT POSITION WITH DRL

9-33V DC Varivolt®
Stud Mount
IP67 | ADR Compliant | CTA See P52
81 x 45mm

FM890LED   Single Box
FM890LEDTWB   Twin Blister

FM850LEDB
BULLBAR LAMP
LED INDICATOR/FRONT POSITION

With Amber/Clear Lense
9-33V DC Varivolt®
Blister Pack
Tab Mount
IP67 | ADR Compliant | CTA See P52
170 x 55 x 40mm

FM880
BULLBAR LAMP
LED INDICATOR/FRONT POSITION WITH DRL

9-33V DC Varivolt®
Blister Pack
Tab or Rear Flush Mount
IP67 | ADR Compliant | CTA See P52
170 x 55 x 30mm

FM880A
BULLBAR LAMP
LED DIRECTIONAL INDICATOR WITH AMBER LENS

9-33V DC Varivolt®
Tab or Rear Flush Mount
IP67 | ADR Compliant | CTA See P52
170 x 55 x 30mm

FM880C
BULLBAR LAMP
LED DIRECTIONAL INDICATOR WITH CLEAR LENS

9-33V DC Varivolt
Tab or Rear Flush Mount
IP67 | ADR Compliant | CTA See P52
170 x 55 x 30mm

LWL500-60H
LED WORKLIGHT ROUND WITH HANDLE

Off/On Swtich - DT Connector
10-30V
60W
6000lm
Adjustable Bracket Mount
201 x 116 x 81mm

LWL226F
ROUND FLOOD LED WORKLIGHT

1900lm Light Output
9-30V DC Varivolt®
Blister Pack
Adjustable Bracket
117 x 117 x 68mm

LWL300-18
18W ROUND LED WORK LAMP

1260lm Light Output
10-30V DC Varivolt®
110 x 135 x 55mm

LWL300-27
27W ROUND LED WORK LAMP

1890lm Light Output
10-30V DC Varivolt®
110 x 135 x 65mm

LWL300-39
39W ROUND LED WORK LAMP

2730lm Light Output
10-30V DC Varivolt®
120 x 138 x 75mm

LWL350-9
9W LED WORK LAMP

630lm Light Output
10-30V DC Varivolt®
98 x 82 x 62mm

8

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

LWL600-60H
LED WORKLIGHT SQUARE WITH HANDLE

Off/On Switch - DT Connector
10-30V
60W
6000lm
Adjustable Bracket Mount
222 x 116 x 75mm

LWL229F
SQUARE FLOOD LED WORKLIGHT

1900lm Light Output
9-30V DC Varivolt®
Blister Pack
Adjustable Bracket
110 x 110 x 63mm

LWL400-12
12W SQUARE LED WORK LAMP

840lm Light Output
10-30V DC Varivolt®
76 x 95 x 44mm

LWL400-27
27W SQUARE LED WORK LAMP

1890lm Light Output
10-30V DC Varivolt®
105 x 132 x 55mm

LWL400-48
48W SQUARE LED WORK LAMP

3360lm Light Output
10-30V DC Varivolt®
110 x 137 x 70mm

LWL450-9
9W LED WORK LAMP

630lm Light Output
10-30V DC Varivolt®
88 x 63 x 40mm

CRL20 SERIES
COMBINATION LED TRAILER LAMP

Stop/Tail/Indicator/Reflector with Licence Plate Option
12V DC or 10-30V DC Varivolt® Option
Stud Mount
100 x 100 x 20mm M: 53.3mm

CRL20LEDLH	12V	CRL20LEDRH	12V w/Lic Plate
CRL20LEDVLH	10-30V DC Varivolt®	CRL20LEDVRH	10-30V DC Varivolt® w/Lic Plate

Blister Packs

CRL20LEDLHB	12V Single Blister	CRL20LEDRHB	12V w/Lic Plate - Single Blister
CRL20LEDVLHB	10-30V - Single Blister	CRL20LEDVRHB	10-30V w/Lic Plate - Single Blister
CRL20LEDTWB	12V LH & RH - Twin Blister	CRL20LEDVTWB	10-30V w/Lic Plate LH & RH - Twin Blister

CRL20LED 9M SERIES

- CRL20LED with 9 Metre cable
- 10-30V DC Varivolt®
- Ideal for quality, fast lighting installation on trailers
- Complete kit has everything to wire up
- Tinned loom end for superior connection to selected trailer plugs

CRL20LEDVLH9	10-30V DC 9M Cable
CRL20LEDVRH9	10-30V DC 9M Cable w/Lic Plate

CRL20LEDVKIT9

1 x CRL20LEDVLH9 - 9M
1 x CRL20LEDVRH9 - 9M Lic Plate

CRL20LEDVKIT9R

1 x CRL20LEDVLH9 - 9M
1 x CRL20LEDVRH9 - 9M Lic Plate
1 x B4P - 7 Pin Flat Trailer Plug

CRL20LEDVKIT9PK

2 x CRL20LEDVLH9 - 9M
1 x NPL4LED - Lic Plate Led
1 x B4P - 7 Pin Flat Trailer Plug

CRL20LED TRAILER KIT™

Stop/Tail/Indicator
10-30V DC Varivolt®
Surface Mount
IP67 | ADR Compliant | CTA See P52
100.6 x 100.8 x 20mm

- Fast fit plug and go trailer wiring kits
- Suits all common trailer sizes
- Quality sheathed wiring and connector plugs
- Pre-wired for center licence plate or markers
- Includes all looms and lights
- Tinned loom end for superior connection to selected trailer plugs

Part No.	Voltage	A-Frame Length (M)	Width Length (M)	Options
CRL20LEDVKIT2	10-30V Varivolt®	7.10	1.70	Standard
CRL20LEDVKIT3	10-30V Varivolt®	5.50	1.40	Standard
CRL20LEDVKIT4	10-30V Varivolt®	7.10	1.70	RH LED Lic Plate
CRL20LEDVKIT5	10-30V Varivolt®	5.50	1.40	RH LED Lic Plate
CRL20LEDVLHP	CRL20 Lamp Only 10-30V DC Varivolt® 0.5 with Plug			
CRL20LEDVRHP	CRL20 Lamp Only 10-30V DC Varivolt® 0.5 with Plug + Licence Plate			
CRLTKLDAPTR	Trailer Kit Light Compatibility Adaptor			

TRAILERS

CRL120 SERIES
COMBINATION LED TRAILER LAMP

Stop/Tail/Indicator/Reflector with Licence Plate Option
12V DC or 10-30V DC Varivolt® Option
Stud Mount
150 x 80 x 22mm M: 100mm

CRL120LEDLH	12V	CRL120LEDRH	12V w/Lic Plate
CRL120LEDVLH	10-30V DC Varivolt®	CRL120LEDVRH	10-30V DC Varivolt® w/Lic Plate

Blister Packs

CRL120LEDLHB	12V Single Blister	CRL120LEDRHB	12V w/Lic Plate - Single Blister
CRL120LEDVLHB	10-30V - Single Blister	CRL120LEDVRHB	10-30V w/Lic Plate - Single Blister
CRL120LEDTWB	12V LH & RH - Twin Blister	CRL120LEDVTWB	10-30V w/Lic Plate LH & RH - Twin Blister

CRL120LED 9M SERIES

- CRL120LED with 9 Metre cable
- 10-30V DC Varivolt®
- Ideal for quality, fast lighting installation on trailers
- Complete kit has everything to wire up
- Tinned loom end for superior connection to selected trailer plugs

CRL120LEDVLH9	10-30V DC 9M Cable
CRL120LEDVRH9	10-30V DC 9M Cable w/Lic Plate

CRL120LEDVKIT9
1 x CRL120LEDVLH9 - 9M
1 x CRL120LEDVRH9 - 9M Lic Plate

CRL120LEDVKIT9R
1 x CRL120LEDVLH9 - 9M
1 x CRL120LEDVRH9 - 9M Lic Plate
1 x B4P - 7 Pin Flat Trailer Plug

CRL120LEDVKIT9PK
2 x CRL120LEDVLH9 - 9M
1 x NPL4LED - Lic Plate Led
1 x B4P - 7 Pin Flat Trailer Plug

CRL120LED TRAILER KIT™

Stop/Tail/Indicator
10-30V DC Varivolt®
Surface Mount
IP67 | ADR Compliant | CTA See P52
80 x 150 x 22mm

- Fast fit plug and go trailer wiring kits
- Suits all common trailer sizes
- Quality sheathed wiring and connector plugs
- Pre-wired for center licence plate or markers
- Includes all looms and lights
- Tinned loom end for superior connection to selected trailer plugs

Part No.	Voltage	A-Frame Length (M)	Width Length (M)	Options
CRL120LEDVKIT2	10-30V Varivolt®	7.10	1.70	Standard
CRL120LEDVKIT3	10-30V Varivolt®	5.50	1.40	Standard
CRL120LEDVKIT4	10-30V Varivolt®	7.10	1.70	RH LED Lic Plate
CRL120LEDVKIT5	10-30V Varivolt®	5.50	1.40	RH LED Lic Plate
CRL120LEDVLHP	CRL120 Lamp Only 10-30V DC Varivolt® 0.5 with Plug			
CRL120LEDVRHP	CRL120 Lamp Only 10-30V DC Varivolt® 0.5 with Plug + Licence Plate			
CRLTKLDAPTR	Trailer Kit Light Compatibility Adaptor			

TRAILERS

CRL10 SERIES
MULTIMOUNT COMBINATION LED

Stop/Tail/Indicator/Reflex Reflector
9-33V DC Varivolt®
Rear Stud or Front Screw Multimount™
IP67 Submersible | ADR Compliant | CTA See P52
104 x 94 x 20mm M: 53, 70 or 90mm Options

0.5M CABLE LENGTH, 9M CABLE LENGTH OPTION

CRL10LEDLH	Box
CRL10LEDRH	With Licence Plate - Box

Blister Packs

CRL10LEDLHB	Single Blister
CRL10LEDRHB	With Licence Plate - Single Blister
CRL10LEDVTWB	Twin Blister with Licence Plate

CRL10LED 9M SERIES

- CRL10LED with 9 metre cable
- Ideal for quality, fast lighting installation on trailers
- Complete kit has everything to wire up
- Tinned loom end for superior connection to selected trailer plugs

CRL10LEDLH9X	9M Cable - Box
CRL10LEDRH9X	9M Cable with Licence plate - Box

CRL11 SERIES
MULTIMOUNT COMBINATION LED

Stop/Tail/Indicator/Reflex Reflector
9-33V DC Varivolt®
Halotrack™ illuminated tail function
Rear Stud or Screw Mount Multimount™
IP67 | ADR Compliant | CTA See P52
104 x 94 x 20 M: 53, 70 or 90mm Options

CRL11LEDLH	0.5M Box
CRL11LEDRH	With Licence Plate - Box

Blister Packs

CRL11LEDLHB	Single Blister
CRL11LEDRHB	Single Blister with Licence Plate
CRL11LEDTWB	Twin Blister with Standard and Licence Plate

CRL11LED 9M SERIES

- CRL11LED with 9 metre cable
- Ideal for quality, fast lighting installation on trailers
- Complete kit has everything for wire up
- Tinned loom end for superior connection to selected trailer plugs

CRL11LEDRH9	9M Cable - Box
CRL11LEDLH9	9M Cable with Licence plate - Box

12

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

COMBINATIONS

CRL105LED
COMBINATION LAMP WITH REFLECTOR

Stop/Tail/Indicator
9-33V DC Varivolt®
Stud Mount
IP67 | ADR Compliant | CTA See P52
280 x 100 x 46mm

CRL105LEDB 2M Cable

CRL190 Series

CRL190LEDTWB
COMBINATION LED

Stop/Rear Position/Direction Indicator
9-33V DC Varivolt®
Twin Blister Pack
Surface Mount
IP67 | ADR Compliant | CTA See P52
191 x 49 x 28mm

CRL190RLEDTWB
COMBINATION LED WITH REFLECTOR

Stop/Rear Position/Direction Indicator/Reverse
9-33V DC Varivolt®
Twin Blister Pack
Surface Mount
IP67 | ADR Compliant | CTA See P52
191 x 49 x 28mm

CRL191 Series

CRL191LED
COMBINATION LED

Stop/Tail/Indicator/Reflector
9-33V DC Varivolt®
Rear stud mount
IP67 | ADR Compliant | CTA see P52
191 x 49 x 30mm

CRL191RLED
COMBINATION LED

Stop/Tail/Indicator/Reflector/Reverse
9-33V DC Varivolt®
Rear stud mount
IP67 | ADR Compliant | CTA see P52
191 x 49 x 30mm

COMBINATIONS

CRL220 Series

CRL220LED
COMBINATION LED

Stop/Rear Position/Direction Indicator
9-33V DC Varivolt®
Base Mount with Smartclip™ covers
IP67 | ADR Compliant | CTA See P52
222 x 96 x 34mm

CRL220LEDB   Single Blister

CRL220RLED
COMBINATION LED

Stop/Rear Position/Direction Indicator/Reverse
9-33V DC Varivolt®
Base Mount with Smartclip™ covers
IP67 | ADR Compliant | CTA See P52
222 x 96 x 34mm

CRL220RLEDB   Single Blister
CRL220RLEDDT   With DT Connector - Box

CRL274 Series

CRL274LED
COMBINATION LED

Stop/Tail/Indicator
9-33V DC Varivolt®
Halotrack™ Illuminated Tail Function
Rear Stud Mount
IP67 | ADR Compliant | CTA see P52
274 x 100 x 35mm

CRL274LEDB   Single Blister

CRL274RLED
COMBINATION LED

Stop/Tail/Indicator/Reverse
9-33V DC Varivolt®
Halotrack™ Illuminated Tail Function
Rear Stud Mount
IP67 | ADR Compliant | CTA see P52
274 x 100 x 35mm

CRL274RLEDB   Single Blister
CRL274RLEDDT   With DT Connector - Box

14

www.whitevision.com.au   info@whitevision.com.au   +61 3 9544 0144
www.whitevision.co.nz   info@whitevision.co.nz   +64 7 849 6609

COMBINATIONS

CRL280 Series

CRL280LED
COMBINATION LAMP WITH REFLECTOR

Stop/Rear Position/Direction Indicator
9-33V DC Varivolt®
Heavy duty Smartclip™ base
IP67 | ADR Compliant | CTA See P52
284 x 100 x 37mm M: 116 or 195mm Options

CRL280LEDB   Single Blister

CRL280RLED
COMBINATION LAMP WITH REFLECTOR

Stop/Rear Position/Direction Indicator/Reverse
9-33V DC Varivolt®
Heavy duty Smartclip™ base
IP67 | ADR Compliant | CTA See P52
284 x 100 x 37mm M: 116 or 195mm Options

CRL280RLEDB   Single Blister
CRL280RLEDDT   With DT Connector - Box

CRL285 Series

CRL285LED
**COMBINATION LED LAMP WITH REFLECTOR
SEQUENTIAL INDICATOR**

Stop/Rear Position/Directional Indicator
10-30V DC Varivolt®
Heavy duty Smartclip™ base
IP67 | ADR Compliant | CTA See P52
283 x 100 x 33mm M: 116 or 195mm Options

CRL285LEDB   Single Blister

CRL285RLED
**COMBINATION LED LAMP WITH REFLECTOR
SEQUENTIAL INDICATOR**

Stop/Rear Position/Directional Indicator/Reverse
10-30V DC Varivolt®
Heavy duty Smartclip™ base
IP67 | ADR Compliant | CTA See P52
283 x 100 x 33mm M: 116 or 195mm Options

CRL285RLEDB   Single Blister
CRL285RLEDDT   With DT Connector - Box

WHITEVISION

CRL350 Series

CRL350LED
COMBINATION LAMP WITH REFLECTOR

Stop/Rear Position/Directional Indicator
9-33V DC Varivolt®
Surface Flush Mount
IP67 | ADR Compliant | CTA See P52
445 x 155 x 40mm

CRL350LEDB	Black Base
CRL350LEDC	Chrome Base
CRL350CLEDB	Clear Lens/Black Base
CRL350CLEDC	Clear Lens/Chrome Base

CRL350RLED
COMBINATION LAMP WITH REFLECTOR

Stop/Rear Position/Directional Indicator/Reverse
9-33V DC Varivolt®
Surface Flush Mount
IP67 | ADR Compliant | CTA See P52
445 x 155 x 40mm

CRL350RLEDB	Black Base
CRL350RLEDC	Chrome Base
CRL350RCLEDB	Clear Lens/Black Base
CRL350RCLEDC	Clear Lens/Chrome Base

CRL455 Series

CRL455
HALOTRACK™ SERIES COMBINATION LAMPS

Stop/Rear Position/Directional Indicator
9-33V DC Varivolt®
Surface Flush Mount
IP67 | ADR Compliant | CTA See P52
445 x 155 x 40mm

CRL455LEDB	Black Base
CRL455LEDC	Chrome Base

16

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

COMBINATIONS

CRL330 Series

CRL330LEDLH
COMBINATION LED LAMP WITH REFLECTOR (LH)

Stop/Rear Position/Directional Indicator
10-30V DC Varivolt®
Screw Mount
IP67 | ADR Compliant | CTA See P52
326 x 202 x 38mm M: 217 or 295mm Options

CRL330LEDRH
COMBINATION LED LAMP WITH REFLECTOR (RH)

Stop/Rear Position/Directional Indicator
10-30V DC Varivolt®
Screw Mount
IP67 | ADR Compliant | CTA See P52
326 x 202 x 38mm M: 217 or 295mm Options

CRL800 Series

CRL800LED

'HAMBURGER' STOP/TAIL/INDICATOR LED
9-33V DC Varivolt®
Stud Mount
IP67 | ADR Compliant | CTA See P52
140 x 61mm

*See page 29 for compatible signal lamps

WV600 Series

WV600A
AMBER SUPPLEMENTARY SIDE INDICATOR

9-33V DC Varivolt®
Surface Mount
IP67 | ADR Compliant | CTA See P52
115 x 70 x 25mm

WV600C
CLEAR SUPPLEMENTARY SIDE INDICATOR

9-33V DC Varivolt®
Surface Mount
IP67 | ADR Compliant | CTA See P52
115 x 70 x 25mm

SLIMLINES

260 Series

CRL260LED
SLIMLINE COMBINATION LED

Stop/Rear Position/Directional Indicator
10-30V DC Varivolt®
IP67 | ADR Compliant | CTA See P52
Front Screw Mount
259 x 82 x 15mm M: 216mm

CRL260RLED
SLIMLINE COMBINATION LED

Stop/Rear Position/Directional Indicator/Reverse
10-30V DC Varivolt®
IP67 | ADR Compliant | CTA See P52
Front Screw Mount
259 x 82 x 15mm M: 216mm

RL260SDLED
SLIMLINE COMBINATION LED

Stop/Rear Position/Directional Indicator
10-30V DC Varivolt®
IP67 | ADR Compliant | CTA See P52
Front Screw Mount
259 x 46 x 15mm M: 216mm

RL260DLED
SLIMLINE INDICATOR LED

Directional Indicator
10-30V DC Varivolt®
IP67 | ADR Compliant | CTA See P52
Front Screw Mount
259 x 46 x 15mm M: 216mm

RL260SLED
SLIMLINE STOP/TAIL LED

Stop/Rear Position
10-30V DC Varivolt®
IP67 | ADR Compliant | CTA See P52
Front Screw Mount
259 x 46 x 15mm M: 216mm

RL260RLED
SLIMLINE REVERSE LED

Reverse
10-30V DC Varivolt®
IP67 | ADR Compliant | CTA See P52
Front Screw Mount
259 x 46 x 15mm M: 216mm

18

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

SLIMLINES

360 Series

CRL360LED
SLIMLINE COMBINATION LED

Stop/Rear Position/Directional Indicator
10-30V DC Varivolt®   IP67 | ADR Compliant | CTA See P52
Front Screw Mount   400 x 82 x 15mm M: 360mm

CRL360LEDB   Black Base
CRL360LEDC   Chrome Base

CRL360RLED
SLIMLINE COMBINATION LED

Stop/Rear Position/Directional Indicator/Reverse
10-30V DC Varivolt®   IP67 | ADR Compliant | CTA See P52
Front Screw Mount   400 x 82 x 15mm M: 360mm

CRL360RLEDB   Black Base
CRL360RLEDC   Chrome Base

RL360DLED
SLIMLINE INDICATOR LED

Directional Indicator with Black or Chrome Base
10-30V DC Varivolt®   IP67 | ADR Compliant | CTA See P52
Front Screw Mount   400 x 46 x 15mm M: 360mm

RL360DLEDB   Black Base
RL360DLEDC   Chrome Base

RL360SLED
SLIMLINE STOP/TAIL LED

Stop/Rear Position with Black or Chrome Base
10-30V DC Varivolt®   IP67 | ADR Compliant | CTA See P52
Front Screw Mount   400 x 46 x 15mm M: 360mm

RL360SLEDB   Black Base
RL360SLEDC   Chrome Base

RL360RLED
SLIMLINE REVERSE LED

Reverse with Black or Chrome Base
10-30V DC Varivolt®   IP67 | ADR Compliant | CTA See P52
Front Screw Mount   400 x 46 x 15mm M: 360mm

RL360RLEDB   Black Base
RL360RLEDC   Chrome Base

RL360SDLED
SLIMLINE COMBINATION LED

Stop/Rear Position/Indicator with Black or Chrome Base
10-30V DC Varivolt®   IP67 | ADR Compliant | CTA See P52
Front Screw Mount   400 x 46 x 15mm M: 360mm

RL360SDLEDB   Black Base
RL360SDLEDC   Chrome Base

JUMBOS

505 Series

CRL408LEDB
DOUBLE JUMBO

Stop/Tail/Indicator/Reflector
9-33V DC Varivolt®
Blister Pack
Stud Mount with Removable Studs
IP67 | ADR Compliant | CTA See P52
403 x 132 x 37mm

CRL505LEDB
TRIPLE JUMBO

Stop/Tail/Indicator/Reflector
9-33V DC Varivolt®
Blister Pack
Stud Mount with Removable Studs
IP67 | ADR Compliant | CTA See P52
603 x 132 x 37mm

CRL505RLEDB
TRIPLE JUMBO

Reverse/Stop/Tail/Indicator/Reflector
9-33V DC Varivolt®
Blister Pack
Stud Mount with Removable Studs
IP67 | ADR Compliant | CTA See P52
603 x 132 x 37mm

INDIVIDUAL MODULES AVAILABLE

RL505SLEDB
STOP/ TAIL
Blister Pack

RL505RLEDB
REVERSE
Blister Pack

RL505DLEDB
DIRECTION INDICATOR
Blister Pack

20

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

JUMBOS

510 Series

CRL410LEDB
DOUBLE JUMBO

Stop/Tail/Indicator/Reflector
9-33V DC Varivolt®
Blister Pack
Stud Mount with Removable Studs
IP67 | ADR Compliant | CTA See P52
403 x 132 x 37mm

CRL410RLED
DOUBLE JUMBO

Reverse/Stop/Tail/Indicator/Reflector
9-33V DC Varivolt®
Stud Mount with Removable Studs
IP67 | ADR Compliant | CTA See P52
403 x 132 x 37mm

CRL510LEDB
TRIPLE JUMBO

Stop/Tail/Indicator/Reflector
9-33V DC Varivolt®
Blister Pack
Stud Mount with Removable Studs
IP67 | ADR Compliant | CTA See P52
603 x 132 x 37mm

CRL510RLEDB
TRIPLE JUMBO

Reverse/Stop/Tail/Indicator/Reflector
9-33V DC Varivolt®
Blister Pack
Stud Mount with Removable Studs
IP67 | ADR Compliant | CTA See P52
603 x 132 x 37mm

INDIVIDUAL MODULES AVAILABLE

RL510SDLEDB
STOP/TAIL/INDICATOR
Blister Pack

RL510SRLEDB
STOP/TAIL/REVERSE
Blister Pack

JUMBOS

CRL605 Series

CRL405LED
DOUBLE JUMBO LED WITH REFLECTOR

Indicator/Stop/Tail - Double
9-33V DC Varivolt®
Modular heavy duty ABS base
IP67 | ADR Compliant | CTA See P52
401 x 131 x 42mm

CRL605LED
TRIPLE JUMBO LED WITH REFLECTOR

Indicator/Stop/Tail - Triple
9-33V DC Varivolt®
Modular heavy duty ABS base
IP67 | ADR Compliant | CTA See P52
601 x 131 x 42mm

CRL605RRR
TRIPLE JUMBO LED WITH REFLECTOR

Stop/Tail - Triple
9-33V DC Varivolt®
Modular heavy duty ABS base
IP67 | ADR Compliant | CTA See P52
601 x 131 x 42mm

CRL605RLED
TRIPLE JUMBO LED WITH REFLECTOR

Indicator/Stop/Tail/Reverse - Triple
9-33V DC Varivolt®
Modular heavy duty ABS base
IP67 | ADR Compliant | CTA See P52
601 x 131 x 42mm

OPTIONAL REPLACEMENT MODULES

RL195DLED
DIRECTION INDICATOR

RL195SLED
STOP/ TAIL

RL195RLED
REVERSE

22

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

- State of the art design
- Use single lamps for one function or all three for integrated combination lamps
- Various options to choose from using three part system
- Polycarbonate Lens
- IP67 Sealed
- 12 or 24V
- Stop/Tail: 55mm or 95mm ring
- Front Directional Indicator: 55mm or 95mm Ring
- Reverse: 55mm
- Reflector: 122mm or Plain Ring 122mm
- Emark & ADR Compliant

ZZ SERIES 55mm LED SIGNAL LAMPS

Front Position
FM055SZZ-2-2-AA   12V Clear Lens

Front Indicator
FD101SZZ-5-2-AA   9-33V Amber Lens   FD102SZZ-5-2-11   9-33V Clear Lens

Rear Indicator
RD101SZZ-2-2-AA   12V Amber Lens   RD101SZZ-4-2-AA   24V Amber Lens
RD102SZZ-2-2-AA   12V Clear Lens   RD102SZZ-4-2-AA   24V Clear Lens

Stop/Tail
ST101SZZ-2-2-AA   12V Red Lens   ST101SZZ-4-2-AA   24V Red Lens
ST102SZZ-2-2-AA   12V Clear Lens   ST102SZZ-4-2-AA   24V Clear Lens

Reverse
RV102SZZ-5-2-AA   9-33V

ZZ SERIES 95MM LED SIGNAL RING

Stop/Tail
ST105SZZ-2-2-AA   12V Clear Lens   ST105SZZ-4-2-AA   24V Clear Lens
ST106SZZ-2-2-AA   12V Red Lens   ST106SZZ-4-2-AA   24V Red Lens

Rear Indicator
RD105SZZ-2-2-AA   12V Clear Lens   RD105SZZ-4-2-AA   24V Clear Lens
RD106SZZ-2-2-AA   12V Amber Lens   RD106SZZ-4-2-AA   24V Amber Lens

Z SERIES DAYTIME RUNNING/POSITION LAMP (DRL)
DL103SZZ-5-2-AA   9-33V Clear Lens

ZZ SERIES 122MM REFLEX REFLECTOR
RR095SZZ-8-2-AA   122MM Reflex Reflector

SINGLE INSERTS

RL400 Series

RL400DG
4" ROUND DIRECTION INDICATOR LED
9-33V DC Varivolt®
Rubber grommet insert
IP68 | ADR Compliant | CTA See P52
110mm insert diameter - 140mm overall diameter
RL400DCG   Clear Lens Option

RL400SG
4" ROUND STOP/REAR POSITION LED
9-33V DC Varivolt®
Rubber grommet insert
IP68 | ADR Compliant | CTA See P52
110mm insert diameter - 140mm overall diameter
RL400SCG   Clear Lens Option

RL400RG
4" ROUND REVERSE LED
9-33V DC Varivolt®
Rubber grommet insert
IP68 | ADR Compliant | CTA See P52
110mm insert diameter - 140mm overall diameter

RL455 Series

RL455DG
HALOTRACK™ 4" ROUND INDICATOR LED
9-33V
Rubber grommet insert
IP68 | ADR Compliant | CTA See P52
110mm insert diameter - 140mm overall diameter

RL455SG
HALOTRACK™ 4" ROUND STOP/DIFFUSED LED
9-33V
Rubber grommet insert
IP68 | ADR Compliant | CTA See P52
110mm insert diameter - 140mm overall diameter

SINGLE INSERTS

RL90 Series

RL90DLED
MAXIZORB™ RECTANGLE DIRECTION INDICATOR LED

9-33V DC Varivolt®
Rubber insert
IP67 | ADR Compliant | CTA See P52
160 x 112 x 31.5mm
RL90DLEDB   Blister Pack

RL90SLED
MAXIZORB™ RECTANGLE STOP/TAIL LED

9-33V DC Varivolt®
Rubber insert
IP67 | ADR Compliant | CTA See P52
160 x 112 x 31.5mm
RL90SLEDB   Blister Pack

RL90RLED
MAXIZORB™ RECTANGLE REVERSE LED

9-33V DC Varivolt®
Rubber insert
IP67 | ADR Compliant | CTA See P52
160 x 112 x 31.5mm
RL90RLEDB   Blister Pack

RL180 Series

RL180DLED
SMARTCLIP™ DIRECTION INDICATOR LED

9-33V DC Varivolt®
Base mount with Smartclip™ covers
IP67 | ADR Compliant | CTA See P52
177 x 100 x 31mm
RL180DLEDB   Blister Pack

**RL180SLED**
SMARTCLIP™ STOP/TAIL POSITION LED

9-33V DC Varivolt®
Base mount with Smartclip™ covers
IP67 | ADR Compliant | CTA See P52
177 x 100 x 31mm
RL180SLEDB   Blister Pack

RL180RLED
SMARTCLIP™ REVERSE LED

9-33V DC Varivolt®
Base mount with Smartclip™ covers
IP67 | ADR Compliant | CTA See P52
177 x 100 x 31mm
RL180RLEDB   Blister Pack

SINGLE INSERTS

500 Series

FL500LED
LED LAMP INSERT 'JUMBO TYPE'
FLASHER/REFLEX REFLECTOR

9-33V DC Varivolt®
Surface Mount, Modular System
IP67 | ADR Compliant | CTA See P52
206 x 131 x 60mm

FL500LEDS
LED LAMP INSERT 'JUMBO TYPE'
SLIMLINE LAMP FLASHER/REFLEX REFLECTOR

9-33V DC Varivolt®
Surface Mount, Modular System
IP67 | ADR Compliant | CTA See P52
206 x 131 x 60mm

SL500LED
LED LAMP INSERT 'JUMBO TYPE'
STOP/TAIL/REFLEX REFLECTOR

9-33V DC Varivolt®
Surface Mount, Modular System
IP67 | ADR Compliant | CTA See P52
206 x 131 x 60mm

SL500LEDS
LED LAMP INSERT 'JUMBO TYPE' SLIMLINE
STOP/TAIL/REFLEX REFLECTOR

9-33V DC Varivolt®
Surface Mount, Modular System
IP67 | ADR Compliant | CTA See P52
194 x 122 x 35mm

RV500LEDH
LED LAMP INSERT, 'JUMBO'
REVERSE (HORIZONTAL MOUNT)

9-33V DC Varivolt®
Surface Mount, Modular System
IP67 | ADR Compliant | CTA See P52
206 x 131 x 60mm

RV500LEDSH
LED LAMP INSERT, 'JUMBO' SLIMLINE
REVERSE (HORIZONTAL MOUNT)

9-33V DC Varivolt®
Surface Mount, Modular System
IP67 | ADR Compliant | CTA See P52
206 x 131 x 60mm

RV500LEDSV   Vertical Option Available

26

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

SINGLE INSERTS

84 Series

FL84RLED
84MM ROUND DIRECTIONAL INDICATOR LAMP

12V OR 24V Option
Front Screw Mount
IP67 | ADR Compliant | CTA See P52
84 Round x 40mm M: 75mm

SL84LED
84MM ROUND LED STOP/TAIL LAMP

12V OR 24V Option
Front Screw Mount
IP67 | ADR Compliant | CTA See P52
84 Round x 40mm M: 75mm

RL84LED
84MM ROUND LED REVERSE LAMP

12V OR 24V Option
Front Screw Mount
IP67 | ADR Compliant | CTA See P52
84 Round x 40mm M: 75mm

1200 Series

FL1200F
AMBER LED FRONT FLASHER LAMP

9-33V DC Varivolt®
Flush Mount or Stud Mount
IP67 | ADR Compliant | CTA See P52
135 x 110 x 59mm

FL1200R
AMBER LED REAR FLASHER LAMP

9-33V DC Varivolt®
Flush Mount or Stud Mount
IP67 | ADR Compliant | CTA See P52
135 x 110 x 59mm

SL1200
RED LED STOP/TAIL LAMP

9-33V DC Varivolt®
Flush Mount or Stud Mount
IP67 | ADR Compliant | CTA See P52
135 x 110 x 59mm

FM1200
CLEAR LED FRONT CLEARANCE LAMP

9-33V DC Varivolt®
Flush Mount or Stud Mount
IP67 | ADR Compliant | CTA See P52
135 x 110 x 59mm

SINGLE INSERTS

600 Series

FL24LED
FRONT LED INDICATOR LAMP

12V or 24V Option
Surface Mount or Modupod
IP67 | ADR Compliant | CTA See P52
95 x 40mm

FL25LED
REAR LED INDICATOR LAMP

12V or 24V Option
Surface Mount or Modupod
IP67 | ADR Compliant | CTA See P52
95 x 40mm

SL9LED
RED LED STOP/TAIL LAMP

12V or 24V Option
Surface Mount or Modupod
IP67 | ADR Compliant | CTA See P52
95 x 40mm

RL800LED
CLEAR LED REVERSE LAMP

12V or 24V Option
Surface Mount or Modupod
IP67 | ADR Compliant | CTA See P52
95 x 40mm

GR25LED
GREEN ROUND LED LAMP

24V
Surface Mount or Modupod
IP67 | ADR Compliant | CTA See P52
95 x 40mm

28

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

FL800LED
AMBER 'HAMBURGER' LED INDICATOR LAMP

10-30V DC Varivolt®
Surface Mount
IP67 | ADR Compliant | CTA See P52
140 x 61mm

SL800LED
RED 'HAMBURGER' STOP/TAIL LED

10-30V DC Varivolt®
High Impact PMMA Lens ABS Body
IP67 | ADR Compliant | CTA See P52
140 x 61mm

RV800LED
CLEAR 'HAMBURGER' LED REVERSE LAMP

10-30V DC Varivolt®
Surface Mount
IP67 | ADR Compliant | CTA See P52
140 x 61mm

MARKERS

SM8 Series

FM8CLED
FRONT CLEARANCE MARKER CLEAR LED
9-33V DC Varivolt®
Integrated Reflector
Clip Mount
IP67 | ADR Compliant | CTA See P52
90 x 50 x 22mm
FM8CLEDB   Blister Pack

RM8RLED
REAR MARKER RED LED
9-33V DC Varivolt®
Integrated Reflector
Clip Mount
IP67 | ADR Compliant | CTA See P52
90 x 50 x 22mm
RM8RLEDB   Blister Pack

SM8ALED
SIDE MARKER AMBER LED
9-33V DC Varivolt®
Integrated Reflector
Clip Mount
IP67 | ADR Compliant | CTA See P52
90 x 50 x 22mm
SM8ALEDB   Blister Pack

SM70 Series

SM70ALED
SIDE MARKER AMBER LED
9-33V DC Varivolt
Integrated Reflector
Screw Mount
IP67 | ADR Compliant | CTA See P52
88 x 26 x 13mm

FM70CLED
FRONT CLEARANCE MARKER CLEAR LED
9-33V DC Varivolt
Integrated Reflector
Screw Mount
IP67 | ADR Compliant | CTA See P52
88 x 26 x 13mm

RM70RLED
REAR MARKER RED LED
9-33V DC Varivolt
Integrated Reflector
Screw Mount
IP67 | ADR Compliant | CTA See P52
88 x 26 x 13mm

30

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

MARKERS

SM50 Series

FM50CLED
CLEAR LED FRONT CLEARANCE LAMP WITH REFLECTORS

9-33V DC Varivolt®
Smartclip™
IP67 | ADR Compliant | CTA See P52
123 x 45 x 18mm

SM50ALED
AMBER 'SLIMLINE' LED SIDE MARKER WITH REFLECTORS

9-33V DC Varivolt®
Smartclip™
IP67 | ADR Compliant | CTA See P52
123 x 45 x 18mm

RM50RLED
RED 'SLIMLINE' LED REAR MARKER WITH REFLECTORS

9-33V DC Varivolt®
Smartclip™
IP67 | ADR Compliant | CTA See P52
123 x 45 x 18mm

SM13 Series

SM13ALED
AMBER 'RETROFIT' LED SIDE MARKER

0.5M Cable
9-33V DC Varivolt®
Surface Mount
IP67 | ADR Compliant | CTA See P52
120 x 64 x 32mm
SM13ALEDB   Blister Pack

SM13RALED
RED/AMBER 'RETROFIT' LED SIDE MARKER

0.5M Cable
9-33V DC Varivolt®
Surface Mount
IP67 | ADR Compliant | CTA See P52
120 x 64 x 32mm
SM13RALEDB   Blister Pack

MARKERS

SM60 Series

SM60RALED
RED/AMBER 'DIMPLE' LED MARKER

9-33V DC Varivolt®
3M Cable | Smartclip™
IP67 | ADR Compliant | CTA See P52
70 x 41 x 23mm
SM60RALEDB   Blister Pack

RM60RLED
RED 'DIMPLE' LED MARKER

9-33V DC Varivolt®
3M Cable | Smartclip™
IP67 | ADR Compliant | CTA See P52
70 x 41 x 23mm
RM60RLEDB   Blister Pack

SM60ALED
AMBER 'DIMPLE' LED SIDE MARKER

9-33V DC Varivolt®
3M Cable | Smartclip™
IP67 | ADR Compliant | CTA See P52
70 x 41 x 23mm
SM60ALEDB   Blister Pack

FM60CLED
CLEAR 'DIMPLE' LED MARKER

9-33V DC Varivolt®
3M Cable | Smartclip™
IP67 | ADR Compliant | CTA See P52
70 x 41 x 23mm
FM60CLEDB   Blister Pack

RM60AALED
AMBER 'DIMPLE' LED FRONT MARKER

9-33V DC Varivolt®
3M Cable | Smartclip™
IP67 | ADR Compliant | CTA See P52
70 x 41 x 23mm
RM60AALEDB   Blister Pack

AM60SSLED
ABS WARNING MARKER
WITH INTEGRAL SUPERSEAL CONNECTION

9-33V DC Varivolt®
3M Cable | Smartclip™
IP67 | ADR Compliant | CTA See P52
70 x 41 x 23mm
AM60SSLEDB   Blister Pack

32

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz   / info@whitevision.co.nz   / +64 7 849 6609

MARKERS

SM62 Series

SM62RALED
SIDE MARKER RED/AMBER LED

9-33V DC Varivolt®
Invisible Smartclip™
IP67 | ADR Compliant | CTA See P52
57 x 35 x 21mm

SM62RALED-3   3m Cable
SM62RALEDB   Blister Pack

SM62ALED
SIDE MARKER AMBER LED

9-33V DC Varivolt®
Invisible Smartclip™
IP67 | ADR Compliant | CTA See P52
57 x 35 x 21mm

SM62RALEDB   Blister Pack

RM62RLED
REAR POSITION MARKER RED LED

9-33V DC Varivolt®
Invisible Smartclip™
IP67 | ADR Compliant | CTA See P52
57 x 35 x 21mm

RM62RLEDB   Blister Pack

FM62CLED
FRONT MARKER CLEAR LED

9-33V DC Varivolt®
Invisible Smartclip™
IP67 | ADR Compliant | CTA See P52
57 x 35 x 21mm

FM62CLED-3   3m Cable
FM62CLEDB   Blister Pack

MARKERS

SM65 Series

SM65RALED
SIDE MARKER RED/AMBER LED

0.5M Cable
9-33V DC Varivolt®
Smartclip™
IP67 | ADR Compliant | CTA See P52
60 x 38 x 32mm

SM65RALEDB   Blister Pack

RM65RLED
REAR POSITION MARKER RED LED

0.5M Cable
9-33V DC Varivolt®
Smartclip™
IP67 | ADR Compliant | CTA See P52
60 x 38 x 32mm

RM65RLEDB   Blister Pack

SM65ALED
SIDE MARKER AMBER LED

0.5M Cable
9-33V DC Varivolt®
Smartclip™
IP67 | ADR Compliant | CTA See P52
60 x 38 x 32mm

SM65ALEDB   Blister Pack

FM65CLED
FRONT CLEARANCE MARKER CLEAR LED

0.5M Cable
9-33V DC Varivolt®
Smartclip™
IP67 | ADR Compliant | CTA See P52
60 x 38 x 32mm

FM65CLEDB   Blister Pack

NPL4LED
LED LICENCE PLATE LAMP

9-24V DC Varivolt®
Surface Mount
IP67 | ADR Compliant | CTA See P52
27 x 89.5 x 20mm

NPL8LED
LED LICENCE PLATE LAMP

Modern Style Snap with Clip Mount - 1.0m Cable
9-33V DC Varivolt®
Blister Pack
IP67 | ADR Compliant | CTA See P52
92 x 50 x 50mm M: 53mm

NPL7LED
LICENCE PLATE LED

Modern Style Stud Mount 0.5m Cable
9-33V DC Varivolt®
IP67 | ADR Compliant | CTA See P52
92 x 50 x 50mm M: 53mm

NPL7LEDB   Blister Pack

NPL3LED
LICENCE PLATE LAMP

Contour Style, Screw Mount, Single Lamp Compliance
0.5m Cable
9-33V DC Varivolt®
72 x 41 x 50mm M: 45mm

NPL3LEDB   Blister Pack
NPL3LEDW   White Option

NPL2LED
LED LICENCE PLATE

For Retrofit applications, Screw Mount - 0.3m Cable
9-33V DC Varivolt®
Blister Pack
IP67 | ADR Compliant | CTA See P52
105 x 48 x 37.5mm M: 87mm

NPL94LED
LED LICENCE PLATE LAMP

Compact Unit for Specific Mounting applications
Screw Mount
12V or 24V
IP67 | ADR Compliant | CTA See P52
70 x 33 x 26mm M: 60mm

NPL94LED-12   12V Option
NPL94LED-24   24V Option

FLLD10
LOAD SIMULATOR

9-33V DC Varivolt®
Surface Mount
76 x 62 x 19mm M: 62/54mm

FLLD12
SMARTLOAD™ 12V LED LOADING MODULE

12V DC Varivolt®
Surface Mount
80 x 44 x 18mm

FLLD24
SMARTLOAD™ 24V LED LOADING MODULE

24V DC Varivolt®
80 x 44 x 18mm

No False Globe Failure
Does not interfere with failure detection system

FLLD1221
LED LOAD RESISTOR

12V
21W
Surface mount
50 x 15 x 15.5mm

FLLD1221TWB   Twin Blister Pack

FLLD2421
LED LOAD RESISTOR

24V
21W
Surface mount
50 x 15 x 15.5mm

FLLD1205
LED LOAD RESISTOR

12V
5W
Surface Mount
25 x 8.5 x 8mm

FLLD2405
LED LOAD RESISTOR

24V
5W
Surface Mount
25 x 8.5 x 8mm

36

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

RESISTORS

WTM500
12V TRAILER TRIGGER MODULE

12V DC
Surface Mount
40 x 57 x 21mm M: 47mm

Can be installed either on the trailer or vehicle
Four circuit operation
Weather proof and computer safe

WHITEVISION CONNECT PLUG AND PLAY VEHICLE LOOM KITS

Plug and Play Vehicle loom kits allow direct OEM fitment of Whitevision lights directly to the vehicles wiring system.

FOR FIT OUTS THE FOLLOWING IS REQUIRED:

2 x Resistor Patch Looms (Sold individually)
WVCPRL100-12V for 12V Vehicles or **WVCPRL200-24V for 24V Vehicles**
1 x Vehicle Specific patch lead kit (Sold as a 2 pack) to suit the vehicle make
2 x Whitevision combination lights with DT connectors as specified by part code

UNIVERSAL RESISTOR PATCH LOOMS

6 Pin Male/Female DT
Single Cable

WVCPRL100-12V	2 x Resistors - 12V
WVCPRL200-24V	2 x Resistors - 24V

VEHICLE SPECIFIC PATCH LEAD KITS

WVCPTCH110	Ranger/BT50 Patch Cable Kit (2 x Cables)
WVCPTCH120	Raptor Patch Cable (2 x Cables)
WVCPTCH130	Dmax/BT50 LTE Patch Cable Kit (2 x Cables)
WVCPTCH140	Dmax Lte Patch Cable Kit (2 x Cables)
WVCPTCH150	Triton MN Patch Kit (2 Cables)
WVCPTCH160	Triton Single Cab Patch Kit (2 Cables)
WVCPTCH170	Triton MQ/MR Patch Kit (2 Cables)
WVCPTCH180	Land Cruiser Patch Kit (2 Cables)
WVCPTCH190	Land Cruiser Extension Kit (2 Cables)
WVCPTCH200	Hilux Patch Kit (2 Cables)

PATCH LOOMS FOR OTHER MODEL VEHICLES ALSO AVAILABLE

***See page 14 and 15 for compatible combination lights**

WVJSA26
900AMPS JUMP STARTER

20Ah/74Wh Battery Capacity
Type-C Voltage Input 9V/2A
Jump Starter Port Output: 12V
Twin USB Quick Charge 3.0 Output: 9V/2A, 5V/2A
Laptop Charging Port Output: 12V/16V/19V
450Amps/Peak 900Amps Current
190 x 83 x 43mm

WR6 SERIES - SELF ADHESIVE/SCREW MOUNT

Fully Welded Black Or White Based High Impact Lens
75 x 46 x 7.5mm   ADR Compliant | CTA See P52

WR6ASA	Amber (White Base-Self Adhesive)
WR6CSA	Clear (White Base - Self Adhesive)
WR6RSA	Red (White Base - Self Adhesive)
WR6AW	Amber (White Base - Screw Mount)
WR6CW	Clear (White Base - Screw Mount)
WR6RW	Red (White Base - Screw Mount)

BLACK BASE SCREW MOUNT & BLISTER OPTIONS AVAILABLE

WR101 SERIES - SELF ADHESIVE

100 x 50 x 6.5mm   ADR Compliant | CTA See P52

WR101A	Amber
WR101C	Clear
WR101R	Red

BLISTER OPTIONS AVAILABLE

WR102 SERIES - SCREW MOUNT

Fully Welded White Based High Impact Lens
127x 48 x 7.5mm   ADR Compliant | CTA See P52

WVR102A	Amber
WVR102C	Clear
WVR102R	Red

WR106 SERIES - SELF ADHESIVE

59 x 31 x 7.5mm   ADR Compliant | CTA See P52

WR106A	Amber
WR106C	Clear
WR106R	Red

BLISTER OPTIONS AVAILABLE

WR120 SERIES - SELF ADHESIVE

70 x 20 x 7.5mm   ADR Compliant | CTA See P52

WR120A	Amber
WR120C	Clear
WR120R	Red

BLISTER OPTIONS AVAILABLE

WR130 SERIES - SELF ADHESIVE

70 x 30 x 7.5mm   ADR Compliant | CTA See P52

WR130A	Amber
WR130C	Clear
WR130R	Red

BLISTER OPTIONS AVAILABLE

WR140 SERIES - SELF ADHESIVE

85 x 22 x 7.5mm   ADR Compliant | CTA See P52

WR140A	Amber
WR140C	Clear
WR140R	Red

BLISTER OPTIONS AVAILABLE

WR121 SERIES - SCREW MOUNT

Fully welded White Or Black Based High Impact Lens
92 x 24 x 7.5mm   ADR Compliant | CTA See P52

WR121AB   Amber (Black Base)
WR121CB   Clear (Black Base)
WR121RB   Red (Black Base)
WR121AW   Amber (White Base)
WR121CW   Clear (White Base)
WR121RW   Red (White Base)
BLISTER OPTIONS AVAILABLE

WR60 SERIES - SCREW MOUNT

60 x 8mm   ADR Compliant | CTA See P52

WR60A   Amber
WR60C   Clear
WR60R   Red
BLISTER OPTIONS AVAILABLE

WR80 SERIES - CORNER CUBE - DELINEATORS

Fully Welded White Base High Impact Lens
Screw Mount
80 x 8mm   Complies with AS1905 | CTA See P52

WR80A   Amber
WR80C   Clear
WR80R   Red
WR80B   Blue
WR80G   Green

ROTOLITE™ WIND POWERED REFLECTIVE WARNING DEVICE

The Whitevision Rotolite™ has been designed as a high visibility road safety warning device, which uses wind power to rotate three high performance reflector cups. In low light conditions, once a vehicle's headlamps hit the Rotolite™ a reflective flashing effect can be easily seen by the motorist.

The unit requires no batteries for operation and is easily mounted to common road cones. Perfect for road works and related applications.

Features & Benefits
- Wind powered - no internal power source required
- Maintenance free - no batteries or oil to replace or recharge
- Cone Mounting - fits most common types of road cones
- Double faced, wide angle high visibility reflectors
- Heavy duty construction - high-impact ABS housing
- Complies with AS1906

WRL3000   Rotolite® 3 cup road cone screw mount (Amber)
WRL3000B   Rotolite® 3 cup road cone screw mount (Blue)
WRL3000G   Rotolite® 3 cup road cone screw mount (Green)

CONNECTORS

B4P
PLASTIC PLUG FLAT 7 PIN
B4PB   Blister Pack

MU7
METAL PLUG SMALL 7 PIN
MU7B   Blister Pack

MP10
METAL PLUG LARGE ROUND 7 PIN
MP10B   Blister Pack

PP10
PLASTIC PLUG LARGE ROUND 7 PIN
PP10B   Blister Pack

PP12
PLASTIC PLUG 7 PIN
PP12B   Blister Pack

PU7
PLASTIC PLUG SMALL ROUND 7 PIN
PU7B   Blister Pack

B4P/PU8
FLAT 7 PIN TO SMALL ROUND
ADAPTOR 7 PIN
B4P/PU8B   Blister Pack

PP10/B5P
LARGE ROUND 7 PIN TO FLAT
ADAPTOR 7 PIN
PP10/B5PB   Blister Pack

B4P/PS12
7 PIN FLAT PLUG TO 12 PIN FLAT
SOCKET TRAILER ADAPTER
B4P/PS12B   Blister Pack

40

www.whitevision.com.au   /   info@whitevision.com.au   /   +61 3 9544 0144
www.whitevision.co.nz   /   info@whitevision.co.nz   /   +64 7 849 6609

B5P
PLASTIC SOCKET FLAT 7 PIN
B5PB   Blister Pack

MU8
METAL SOCKET SMALL 7 PIN
MU8B   Blister Pack

MS10
METAL SOCKET LARGE ROUND 7 PIN
MS10B   Blister Pack

PS10
PLASTIC SOCKET LARGE ROUND 7 PIN
PS10B   Blister Pack

PS12B
PLASTIC SOCKET 7 PIN
Blister Pack

PU8
PLASTIC SOCKET SMALL 7 PIN
PU8B   Blister Pack

B4P/PS10
FLAT 7 PIN TO LARGE ROUND ADAPTOR 7 PIN
B4P/PS10B   Blister Pack

PU7/B5P
SMALL ROUND 7 PIN TO FLAT ADAPTOR 7 PIN
PU7/B5PB   Blister Pack

PP12/B5P
FLAT 12 PIN PLUG TO FLAT 7 PIN SOCKET TRAILER ADAPTER
PP12/B5PB   Blister Pack

BEACONS

BE325 Series

BE325A-P0
LED BEACON

Portable
10-30V DC
Class 1 Heavy Duty
Remote Controlled
6 Hour run time
7 Flash patterns with rotating
IP67 Fully Sealed
130 Round x 75mm

SCAN ME FOR FULL BEACON RANGE

BE325A-ST
LED BEACON

Stud Mount
10-30V DC
Class 1 Heavy Duty
7 Flash patterns with rotating
IP67 Fully Sealed
108 Round x 47mm

BE325A-MG
LED BEACON

Magnetic Mount
10-30V DC
Class 1 Heavy Duty
7 Flash patterns with rotating
IP67 Fully Sealed
108 Round x 54mm

BE325A-PL
LED BEACON

Din Pole Mount
10-30V DC
Class 1 Heavy Duty
7 Flash patterns with rotating
IP67 Fully Sealed
92 Round x 144mm

42

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

BE200 SERIES
LOW PROFILE LED BEACON

Stud/Magnetic Mount Options
ECE R10 (EMC)/SAE J845 CLASS 3
10-30V DC Varivolt®
IP67 Fully Sealed
130 Round x 53mm

BE200-ST   Stud Mount
BE200-MG   Magnetic Mount

BE250 SERIES
MEDIUM PROFILE LED BEACON

Stud/Magnetic Mount Options
ECE R10 (EMC)/SAE J845 CLASS 2
10-30V DC Varivolt®
IP67 Fully Sealed
140 Round x 96mm

BE250-ST   Stud Mount
BE250-MG   Magnetic Mount

BE300 SERIES
LOW PROFILE LED BEACON

Stud/Magnetic Mount Options
ECE R10 (EMC)/SAE J845 CLASS 1
10-30V DC Varivolt®
IP67 Fully Sealed
112 Round x 48mm

BE300A-ST   Stud Mount
BE300A-MG   Magnetic Mount
BE300A-PL   DIN pole Mount

BE350 SERIES
MEDIUM PROFILE LED BEACON

Stud/DIN Pole/Magnetic Mount Options
ECE R10/CISPR 25 CLASS 3 Certified
ECE R65 CLASS 1/SAE J845 CLASS 1
10-30V DC Varivolt®
IP67 Fully Sealed
120 Round x 84mm

BE350-ST   Stud Mount
BE350-MG   Magnetic Mount

BE375 SERIES
HIGH PROFILE LED BEACON

Stud/Magnetic Mount Options
ECE R10/CISPR 25 CLASS 3 Certified
ECE R65 CLASS 1/SAE J845 CLASS 1
10-30V DC Varivolt®
IP67 Fully Sealed
120 Round x 123mm

BE375-ST   Stud Mount
BE375-MG   Magnetic Mount

WHITEVISION

BEACONS

BE500 SERIES
20W LED MINIBAR

Bracket/Magnetic Mount Options
ECE R10/CISPR 25 CLASS 3 Certified
ECE R65 CLASS 1/SAE J845 CLASS 1
10-30V DC Varivolt® | IP67 Fully Sealed
246 x 164 x 48mm (M)/62mm (BR)

BE500A-BR   Bracket Mount
BE500A-MG   Magnetic Mount

BE550 SERIES
28W LED MINIBAR

Bracket/Magnetic Mount Options
ECE R10/CISPR 25 CLASS 3 Certified
ECE R65 CLASS 1/SAE J845 CLASS 1
10-30V DC Varivolt® | IP67 Fully Sealed
381 x 220 x 52mm (M)/69mm (BR)

BE550A-ST   Bolt Mount
BE550A-MG   Magnetic Mount

Warning Lights

LBL010WPS
10W BLUE LED WARNING SPOT

Stud Mount
10-80V DC Varivolt®
144 X 137 x 88mm

LAL010W SERIES
10W ARC BEAM FORKLIFT LAMP

10-80V DC Varivolt®
104 x 160 x 71mm

LAL010WB   Blue Arc Beam
LAL010WR   Red Arc Beam

LIL012W SERIES
12W LINEAR BEAM FORKLIFT LAMP

10-80V DC Varivolt®
100 x 110 x 65mm

LIL012WB   Blue Line Beam
LIL012WR   Red Line Beam

Reverse Alarms

RAV97TB
REVERSE ALARM DUAL TONE 97dB

12-80V
Tonal and Broadband (White Noise)
IP67 Rated
Hard Wired

RAV102T
REVERSE ALARM 102dB

12-48V
Tonal Alarm (Beep Beep)
IP67 Rated
Hard Wired

RAV107T   107dB 10-30V
Stud Terminal Option

INTERIOR LIGHTS

SCAN ME FOR FULL INTERIOR RANGE

IL070LED
LOW PROFILE LED INTERIOR LIGHT

1.5W
12V DC
Surface Mount
69.2 x 8.5mm

IL180LED
LOW PROFILE LED INTERIOR LIGHT

4.2W
12V DC
Surface Mount
Integrated ON/OFF switch
180 x 12mm

IL130LED
5" LED INTERIOR LIGHT

51 x 0.5W LEDs
10-30V DC
Surface Mount
130 x 18.5mm

IL200LED
10" LED OYSTER LIGHT

6W Total
10-30V DC
Integrated ON/OFF switch
Surface Mount
250 x 50mm

IL054 Series

IL054A
6W LED INTERIOR LIGHT W/TOUCH SWITCH

30 x 0.2W LEDs
10-30V DC
Surface Mount
160 x 54 x 12mm

IL054HA   Non-Switch Option

IL054B
17W LED INTERIOR LIGHT W/TOUCH SWITCH

84 x 0.2W LEDs
10-30V DC
Surface Mount
320 x 54 x 12mm

IL054HB   Non-Switch Option

IL054C
35W LED INTERIOR LIGHT W/TOUCH SWITCH

176 x 0.2W LEDs
10-30V DC
Surface Mount
600 x 54 x 12mm

IL054HC   Non-Switch Option

READING LIGHTS

LRL120U
CHROME LED READING DOWNLIGHT

10-30V DC
USB Charger Port
Adjustable
Dimmable
Touch Switch
Screw Mount
39.5 x 70.5 x 15mm Base
89mm High

LRL120UB   Blister Pack

LRL125U
CHROME LED READING LIGHT BALL NECK

10-30V DC
USB Charger Port
Adjustable
Dimmable
Touch Switch
Screw Mount
63.5mm Diameter x 20mm Base
118mm High

LRL125UB   Blister Pack

LRL135U
CHROME LED READING LIGHT GOOSE NECK

10-30V DC
USB Charger Port
Adjustable
Dimmable
Touch Switch
Screw Mount
63.5mm Diameter x 20mm Base
183mm High

LRL135UB   Blister Pack

LRL130U
BLACK LED READING DOWNLIGHT

12V DC
USB Charger Port
Adjustable
Dimmable
Touch Switch
Surface Mount
60mm Diameter x 20mm Base
90mm High

LRL130UB   Blister Pack

LRL140U
BLACK LED READING LIGHT GOOSE NECK

12V DC
USB Charger Port
Adjustable
Dimmable
Touch Switch
Surface Mount
60mm Diameter x 20mm Base
162mm High

LRL140UB   Blister Pack

46

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

EXTERIOR LIGHTS

Grab Handles

LGH130B
LED GRAB HANDLE

12V DC
Flush Mount
146 x 222

LGH220B
LED GRAB HANDLE

12V DC
Flush Mount
144 x 222

LHR385B
ENTRY GRAB HANDLE LIGHT
WITH ON/OFF SWITCH

1W
12V DC
Total Length 457mm
LED Section Length 256mm
Width 65mm
Height from Base 70mm

LHR500B
ENTRY GRAB HANDLE LIGHT
WITH ON/OFF SWITCH

0.6W
12V DC
Total Length 520mm
LED Section Length 293mm
Width 60.5mm
Height from Base 60.5mm

Awning & Courtesy

LAW287W
11" LED AWNING LIGHT

12-28V DC
8W
800lm
Amber Insect Repelling Function Option
Screw Mount
IP67
287 x 60 x 32mm

LAW287AW   Amber/White
LAW287AWS   Amber/White Switch

LAW506W
20" LED AWNING LIGHT

12-28V DC
9W
1000lm
Screw mount
506 x 28 x 35mm

LWL050
LED COURTESY
FOOTWELL LIGHT

10-30V DC Varivolt®
1W/100lm
Surface Mount
52 x 30 x 16mm M: 38mm

STRIP LIGHTING

XRIBBON™

60LED/M
12 or 24V DC
Adhesive mount
1300lm/m

CLX0612	XRIBBON™ LED Strip with 3M Tape - 600mm, 12V - Blister Pack
CLX0624	XRIBBON™ LED Strip with 3M Tape - 600mm, 24V - Blister Pack
CLX1212	XRIBBON™ LED Strip with 3M Tape - 1200mm, 12V - Blister Pack
CLX1224	XRIBBON™ LED Strip with 3M Tape - 1200mm, 24V - Blister Pack
CLX5012	XRIBBON™ LED Strip with 3M Tape - 5m, 12V
CLX5024	XRIBBON™ LED Strip with 3M Tape - 5m, 24V

- XRIBBON™ the next generation in LED strip from Whitevision offers a continuous diffused light expanding applications beyond standard LED strip.
- Powerful 1300lm/m light output and fully encapsulated IP67 silicon design allows for virtually any interior or exterior installation.
- XRIBBON™ uses a highgrade silicon formula making it more flexible, non yellowing and chemical resistant.
- The internal circuit design dissipates virtually no heat allowing for longevity in the toughest of environments.
- XRIBBON™ uses genuine 3M adhesives tape for secure installation and can be cut to any size while instantly maintaining its IP rating.

T3 FLEXIBLE STRIP
300MM - 1200MM: 60LEDS PER METRE

CLB300W/T3	300mm 12V LED Strip IP65 HPW with 3M tape
CLB300W/T3-24	300mm 24V LED Strip IP65 HPW with 3M tape
CLB600W/T3	600mm 12V LED Strip IP65 HPW with 3M tape
CLB600W/T3-24	600mm 24V LED Strip IP65 HPW with 3M tape
CLB1200W/T3	1200mm 12V LED Strip IP65 HPW with 3M tape
CLB1200W/T3-24	1200mm 12V LED Strip IP65 HPW with 3M tape

T4 FLEXIBLE SILICONE TUBE STRIPS
300MM - 1200MM: 60LEDS PER METRE

CLB300W/T4	300mm 12V LED IP66 Silicone Sealed High Power White
CLB300W/T4-24	300mm 24V LED IP66 Silicone Sealed High Power White
CLB600W/T4	600mm 12V LED IP66 Silicone Sealed High Power White
CLB600W/T4-24	600mm 24V LED IP66 Silicone Sealed High Power White
CLB1200W/T4	1200mm 12V LED IP66 Silicone Sealed High Power White
CLB1200W/T4-24	1200mm 12V LED IP66 Silicone Sealed High Power White

48

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

STRIP LIGHTING

T3 RED, GREEN, BLUE FLEXIBLE STRIP
WITH 3M TAPE

CLB300RGB/T3	300mm 12V LED Strip IP65 HPW with 3M tape
CLB300RGB/T3-24	300mm 24V LED Strip IP65 HPW with 3M tape
CLB600RGB/T3	600mm 12V LED Strip IP65 HPW with 3M tape
CLB600RGB/T3-24	600mm 24V LED Strip IP65 HPW with 3M tape
CLB1200RGB/T3	1200mm 12V LED Strip IP65 HPW with 3M tape
CLB1200RGB/T3-24	1200mm 24V LED IP65 with 3M tape RGB 60LEDs/m

T3 SINGLE COLOUR FLEXIBLE STRIP 3M TAPE
5 METRE ROLL: 60LEDS PER METRE

CL-WNWF121200-60T3	WHITE	12V IP65 with 3M Tape Backing - 5m Roll
CL-INWF121200-60T3	WARM WHITE	12V IP65 with 3M Tape Backing - 5m Roll
CL-BNWF121200-60T3	BLUE	12V IP65 with 3M Tape Backing - 5m Roll
CL-OUWF121200-60T3	RED	12V IP65 with 3M Tape Backing - 5m Roll
CL-YUWF121200-60T3	AMBER	12V IP65 with 3M Tape Backing - 5m Roll
CL-GNWF121200-60T3	GREEN	12V IP65 with 3M Tape Backing - 5m Roll

CL-OUWF121200-60T3-W   CL-BNWF121200-60T3   CL-GNWF121200-60T3-W   CL-YUWF121200-60T3-W

T4 FLEXIBLE SILICONE SINGLE COLOUR STRIP 3M TAPE
5 METRE ROLL: 60LEDS PER METRE

CL-WNTF121200-60T3	WHITE	12V IP65 with 3M Tape Backing - 5m Roll
CL-INTF121200-60T3	WARM WHITE	12V IP65 with 3M Tape Backing - 5m Roll
CL-BNTF121200-60T3	BLUE	12V IP65 with 3M Tape Backing - 5m Roll
CL-OUTF121200-60T3	RED	12V IP65 with 3M Tape Backing - 5m Roll
CL-YUTF121200-60T3	AMBER	12V IP65 with 3M Tape Backing - 5m Roll
CL-GNTF121200-60T3	GREEN	12V IP65 with 3M Tape Backing - 5m Roll

CL-BNTF121200-60T3   CL-GNTF121200-60T3-W   CL-OUTF121200-60T3-W

L & P PLATES

LS500
SEE THROUGH L PLATES
Black L on Yellow Background

PS501
SEE THROUGH P PLATES
White P on Green Background

PS502
SEE THROUGH P PLATES
Red P on White Background

PS504
SEE THROUGH P PLATES
White P on Red Background

RV505
REVERSIBLE L & P PLATES
White P on Red/Black L
on Yellow Suction Cup Mounting

RV506
REVERSIBLE L & P PLATES
Red P on White/Black L
on Yellow Suction Cup Mounting

RV511
REVERSIBLE P PLATES
White P on Green/White P
on Red Suction Cup Mounting

RV513
REVERSIBLE P PLATES
Green P on White/Red P
on White Suction Cup Mounting

LM507
MAGNETIC L PLATES
Black L on Yellow Background

PM509
MAGNETIC P PLATES
Red P on White Background

PM510
MAGNETIC P PLATES
Green P on White Background

To enhance the Whitevision range of product for the retail market, we are pleased to announce the release of our merchandising displays.

The display stand have been developed for retail outlets for high-impact point of sale. The new display stand is perfectly designed for any showroom or retail store to help enhance the presentation, giving stores a more professional look. Our all new header card reflects the clean and modern design of our product range.

The display stand has been customised to feature our most popular products, which includes reflectors, plugs, sockets, LED trailer lamps and trailer kits to specifically cater for the small to medium size trailer requirement.

SCAN CODE FOR LATEST MERCHANDISER RANGE

Features & Benefits

- Extensive, and growing, exclusive range
- High impact designs
- Popular, top selling lines
- Quality products
- Competitive pricing
- Trailer, Truck & Trailer and Caravan options available

AUTOMOTIVE LIGHTING COMPLIANCE

Whitevision lighting is a quality supplier to the automotive OEM and aftermarkets globally.
All of the products we produce comply with regulations where specified for each international region.
Below is an explanation and references of our lighting product compliance.

ADR COMPLIANCE

The Australian Design Rules, or ADR for short, are a set of standards that have been adopted in Australia for on-road vehicle compliance. The Australian Government regulates Third Edition ADRs under *The Road Vehicle Standards Act 2018* (RVSA).

New manufactured or imported vehicles and subsequent components must comply at the time of supply to the Australian market. Where specified, Whitevision lighting complies with ADR requirements.

CTA APPROVALS

In Australia, *The Road Vehicle Standards Act 2018* (RVSA) and *The Road Vehicle Standards Rules 2019* (The Rules) form what is known as RVS legislation. Under this legislation, a *Register Of Approved Vehicles* (RAV) is administered to provide a publicly searchable database of vehicles that have met the requirements of RVS legislation and have been approved to be provided to the Australian market. Subsequently, vehicle components for meeting legislation are also required to have a *Component Type Approval* (CTA).

FOR WHITEVISION PRODUCT'S CTA APPROVAL NUMBERS, PLEASE SCAN THE QR CODE OR GO TO THE LINK:

whitevision.com.au/product-road-safety-approvals/

UNECE COMPLIANCE

With a main focus in Europe, the *United Nations Economic Commission for Europe* commonly known as ECE incorporates a subgroup for vehicle regulations. ECE compliant or "E Mark" components are tested and certified to meet the specified standards set out in the applicable ECE directive for that part. E numbers are usually denoted by country of compliance testing, followed by the ECE directive number. Certain countries including Australia adopt ECE standards into their own legislation (some or parts of ADRs) as part of the harmonisation of standards.

DOT, FMVSS AND SAE

In the America's including the US and Canada, vehicle standards are based on a set of US regulations known as *Federal Motor Vehicle Safety Standards* (FMVSS). In the US this is administered by the *U.S. Department of Transportation* (DOT). To be DOT compliant, lighting must meet the Section 108 requirements of the *Federal Motor Vehicle Safety Standards* (FMVSS).

The Society of Automotive Engineers (SAE) is a global organization that sets technical standards for the manufacturing, testing and design of automotive SAE standards are often incorporated into the FMVSS, making them law under DOT. There are no SAE or DOT approved products, both bodies do not approve products, the correct language is "Certified to SAE" and "DOT compliant". Where specified, Whitevision lighting is certified to the relevant SAE standards.

52

www.whitevision.com.au / info@whitevision.com.au / +61 3 9544 0144
www.whitevision.co.nz / info@whitevision.co.nz / +64 7 849 6609

ADR INSTALLATION GUIDE

BOX TRAILER

A C H J N O
G
J
I

FRONT VIEW   SIDE VIEW

CARAVAN

K
G L
M
J
A C H N O
E Q
D
I

FRONT VIEW   SIDE VIEW

BOX TRUCK

K
B F G L
P
M
H
J
A C H N O
D E Q
I

FRONT VIEW   SIDE VIEW

COACH

K
B F G L
P
M
H
J
A C H N O
E Q
D

FRONT VIEW   SIDE VIEW

SEMI TRUCK

K
B F G L
P
M
H
J
A C H N O
E Q
I

FRONT VIEW   SIDE VIEW

The below guide can be used when installing Whitevision lightning products in compliance with the Australian Design Rules (ADR).

This guide is a general reference only, for precise installation compliance we recommend using detailed specifications from the ADR 13/00 documentation.

	ADR	DEFINITION
A	1/00	Reverse Lamp
B	6/00	(Cat 1) Front Direction Indicator Lamp
C	6/00	(Cat 2a) Rear Direction Indicator Lamp
D	6/00	(Cat 5/6) Suplementary Side Direction Indicator Lamp
E	45/01	Cab Marker Lamp
F	46/00	Headlamp
G	47/00	Driving Lamp
H	47/00	Rear Retro Reflectors
I	47/00	Side Retro Reflectors
J	48/00	Licence Plate Lamp
K	49/00	Front End Outline Lamp
L	49/00	Front Position Lamp
M	49/00	Rear End Outline Ramp
N	49/00	Rear Position/Tail Lamp
O	49/00	Stop Lamp
P	50/00	Front Fog Lamp
Q	74/00	Side Marker Lamp

ADR
ALL FUNCTIONS COMPLY WITH AUST. DESIGN RULES EDITION 3

NOTES

PARTS LIST

PART NO:		PART NO:	

SCAN HERE TO DOWNLOAD AN ACCOUNT APPLICATION

YOUR REPRESENTATIVES DETAILS

_____

_____

_____

_____

SCAN HERE TO SUBSCRIBE TO OUR NEWSLETTER

PROMOTIONAL
LABEL

Whitevision Australia Pty Ltd
A.B.N. 85 007 220 886

Unit 2, 13-15 Brough Street, Sandown
P.O. Box 162 Sandown Village, 3171
VICTORIA, AUSTRALIA

T: +61 (03) 9544 0144
F: +61 (03) 9543 4156
E: info@whitevision.com.au
W: www.whitevision.com.au

Whitevision New Zealand Limited
NZ Company No. HN357788

P.O. Box 28755 Remuera
Auckland, 1541
NEW ZEALAND

T: +64 7 849 6609
E: info@whitevision.co.nz
W: www.whitevision.co.nz

whitevisionaustralia